

Date issued: 05/16/2025

SDS number: 0986

Kwik Mop

1. Identification

Product code: 0986

Product identifier: Kwik Mop Relevant identified uses: Cleaner

Manufacturer / Supplier

Detco Industries, Inc.

PO Box 430

Conway, AR 72033

Customer Service: 800-282-2133 E-Mail: support@detco.com Web: www.detco.com

Emergency telephone number (24 hour)

Poison Control Center (Medical) : (877) 800-5553 **CHEMTREC (US Transportation) :** (800) 424-9300

2. Hazard identification

Classification of the substance or mixture

Physical hazards:

Flammable Liquids, Category 3

Label elements



Flame

Signal word: WARNING Hazard statement(s)

H226: Flammable liquid and vapour.

Precautionary statement(s)

Prevention:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

Disposal:

P501: Dispose of contents/container in accordance with federal, state, and local regulations.

3. Composition/information on ingredients

Chemical name	% w/w	CAS No.
Water	0 - 100	7732-18-5
Isopropanol	5 - 10	67-63-0
Benzenesulfonic Acid, C10-16-alkyl Derivs.	2 - 5	68584-22-5
2- Butoxyethanol	2 - 5	111-76-2
Linear Primary Alcohol Ethoxylate	1 - 2	68439-46-3



Date issued: 05/16/2025

SDS number: 0986

Kwik Mop

4. First-aid measures

Eye: Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

Skin: Flush affected area with water. If irritation persists, get medical attention.

Ingestion: Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

5. Fire-fighting measures

General hazard: None known.

Suitable extinguishing media: Carbon dioxide, water, foam or dry chemical.

Hazardous decomposition products: None known.

6. Accidental release measures

Small spill: Avoid runoff into storm sewers and ditches which lead to waterways.

7. Handling and storage

Precautions for safe handling: Follow all SDS/label precautions even after container is emptied because it may retain product residues.

Conditions for safe storage: Store in original container.

8. Exposure controls/personal protection

Exposure controls

Control parameters					
	Occupational exposure limit values				
Chemical name	Туј	Туре		mg/m³	
Isopropanol	OSHA PEL	TWA	400	980	
	ACGIH TLV	TWA	200	490	
		STEL	400	960	
	Supplier OEL	TWA	NL	NL	
		STEL	NL	NL	
2- Butoxyethanol	OSHA PEL	TWA	50	240	
	ACGIH TLV	TWA	20	97	
	Supplier OEL	TWA	NL	NL	
		STEL	NL	NL	

Individual protection measures, such as personal protective equipment

Eye / face protection: Safety glasses with side shields (or goggles).

Skin protection - hand protection: Rubber or nitrile gloves.

Respiratory protection: None Skin protection - other: None



Date issued: 05/16/2025

SDS number: 0986

Kwik Mop

9. Physical and chemical properties

Physical state: Liquid

Color: Green Odor: Herbal pH: 7.0 to 7.5

Flash point: > (100°F)

Evaporation rate (n-butyl acetate = 1): Not yet determined

Explosion limit / flammability limit notes: Not yet determined

Vapor pressure: Not yet determined

Relative vapor density: Not yet determined

Relative density: 0.99 g/mL

Solubility: Complete

Partition coefficient n-octanol/water (logarithmic value): Not yet determined

VOC content: 14.06 %

Notes: Numbers are for concentrated product, not end-use dilution.

10. Stability and reactivity

Chemical stability: Stable

Conditions to avoid: None known.

 $\textbf{Possibility of hazardous reactions:} \ \textbf{None known}.$

Hazardous decomposition products: Oxides of carbon.

Incompatible materials: None known.

11. Toxicological information

Acute toxicity

Chemical name	LD ₅₀ (oral) mg/kg(rat)	LD ₅₀ (dermal) mg/kg(rabbit)	LC ₅₀ (inhalation) mg/l
Isopropanol	5045 mg/kg	12800 mg/kg	16000 ppm
2- Butoxyethanol	470 mg/kg	220 mg/kg	450 ppm
Linear Primary Alcohol Ethoxylate	1400 to 2700	> 4000	

Carcinogenicity

Notes: None known.

12. Ecological information

Environmental data: Not Available

13. Disposal considerations

Disposal methods: Dispose of in accordance with federal, state and local regulations.

14. Transport information

USA Department of Transport Regulations (DOT)



Date issued: 05/16/2025

SDS number: 0986

Kwik Mop

UN proper shipping name: Not regulated by DOT.

15. Regulatory information

UNITED STATES

SARA Section 311/312 Hazard Categories

311/312 Health hazards: Acute Toxicity (Dermal)

EPCRA Section 313 Toxic Chemicals

Chemical name	% w/w	CAS N o.
Isopropanol	5 - 10	67-63-0


TSCA (The Toxic Substances Control Act)

Chemical name	CAS No.
Water	7732-18-
Isopropanol	67-63-
Benzenesulfonic Acid, C10-16-alkyl Derivs.	68584-22-
2- Butoxyethanol	111-76-
Linear Primary Alcohol Ethoxylate	68439-46-

16. Other information

Prepared by: E. Spicer Date Prepared: 05/16/2025

HMIS rating
Health 1
Flammability 2
Physical hazard 0
Personal protection B



Manufacturer disclaimer: The information provided in this Safety Data Sheet has been obtained from sources believed to be reliable. Manufacturer provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein.